



- Good rest time for babies
- Reduction of the time required to get to sleep
- Fussiness
- Restlessness

Food Supplement



MADE IN ITALY

QUIET TIME FOR BABIES



DESCRIPTION

Marisleep is a specifically formulated to help children have peaceful rest and good night sleep. Sleep during infancy is important for the correct development of babies.

THERAPEUTIC INDICATIONS

- **Melatonin** contributes to the reduction of the time required to get to sleep. The beneficial effect is obtained by taking, just before bedtime, 1 mg of melatonin.
- **Vitamins B6 and B2** contribute to the normal functioning of the nervous system, while
- **Vitamin B1 and Folic Acid** promote normal psychological function.

PRESENTATION & DOSAGE

20mL in bottle with rubber teat dropper.



It is recommended the intake from 1 to 14 drops (14 drops = 1mL) at bedtime.

PRESENTATION & DOSAGE

Manioc syrup (Manioc syrup, unrefined manioc syrup, glucose syrup), Apple juice, Red fruit juice, Water, Melatonin, Vitamin B2 (riboflavin 5--phosphate, sodium), Vitamin B6 (Pyridoxine Hydrochloride), Vitamin B1 (Thiamine Hydrochloride), Folic Acid (Pteroylmonoglutammic acid).

REGULATORY STATUS

- Free sale certificate
- Notification at Italian Ministry of Health
- Certificate of Origin (at the time of invoicing)
- ISO 9001
- US FDA registration




Insomnia

Inability to sleep, although physiological need of human body



- ✓ Tiredness
- ✓ Irritability
- ✓ Difficult concentrating

Prevalence of SLEEP DISORDERS in a pediatric age



The circadian rhythm begins to arise around 2 to 3 months of age, leading to longer periods of sleep at night. After 4 months of age the sleep rhythm tends to adapt to the external rhythms, so it is necessary to help the child to synchronize his/her own endogenous rhythm with the outside in order to focus the sleep at night.

PROSPECTUS DURATION OF SLEEP recommended by experts

AGE	APPROPRIATE DURATION (HOURS)	NOT APPROPRIATE DURATION (HOURS)
0 - 3 months old	from 11 to 19	less than 11 - more than 19
4 - 11 months old	from 10 to 18	less than 10 - more than 18
1 - 2 years old	from 9 to 16	less than 9 - more than 16
3 - 5 years old	from 8 to 14	less than 8 - more than 14
6 - 13 years old	from 7 to 12	less than 7 - more than 12
14 - 17 years old	from 7 to 12	less than 7 - more than 11
18 - 25 years old	from 6 to 11	less than 6 - more than 11
26 - 64 years old	from 6 to 10	less than 6 - more than 10
>= 65 years old	from 4 to 9	less than 5 - more than 9



Lack of regular sleep can lead to physical and psychological negative effects.



Sleep during infancy is important to:

- The maturation of the brain and central nervous system
- Future cognition, temperament, and psychomotor development.



SWEET and PLEASANT TASTE



EASY ADMINISTRATION is applicable on the pacifier




Circadian rhythm regulation



Protection from pre and postnatal ocular pathologies



Brain development



Melatonin deficiency is associated with delayed intrauterine development and reduced cerebellar size.

AVERAGE CONTENT in 1 ml (14 drops)

	Q.ty	%NRV*
Folic Acid	100 mcg	50
Vitamin B1	0,33 mg	30
Vitamin B2	0,46 mg	32,86
Vitamin B6	0,33 mg	23,57
Melatonin	1 mg	

*NRVs=Nutrient Reference Values