



GRA01 REV.3 del 15/06/2011 	NOME PRODOTTO <h1>Revaginal Gel</h1>	CLIENTE <b>PJ Pharma</b>	COD. FORMULA	COD. INTERNO	REVISIONE	
		COD FUSTELLA JUSTGEL	RIF.ORDINE:	<input type="checkbox"/>		
DATA MODIFICA	GRAFICO	TIPOGRAFIA	RIF.CON.PRIMARIO:	<input type="checkbox"/>		
CARATTERISTICHE TECNICHE		APPROVAZIONE CLIENTE		MODIFICHE APPORTATE DALLA PRECEDENTE REV:		
						APPROVAZIONE PRODUTTORE





Reparto Grafico

# Revaginal Gel

CLIENTE  
PJ Pharma

COD INTERNO

REVISIONE

Fornitore

RIF. ORDINE

COD FORMULA

Grafico

AREA DI STAMPA Ø 25 x 115

2 mm  
7 mm

AREA NON STAMPABILE

# Revaginal<sup>Gel</sup>

**PJ PHARMA**

*Gel vaginale idratante e lubrificante*  
*Moisturizing and lubricant vaginal gel* **30 ml**  
**pH FISIOLÓGICO / PHYSIOLOGICAL pH**

*Formulazione gel pH 4,5.* Coadiuvante nel trattamento della secchezza vaginale esterna. Azione idratante e dell'area vulvo-vaginale. Effetto idratante persistente e prolungato. Gli ingredienti funzionali contenuti nella formulazione, insieme a estratti vegetali, esercitano un'azione idratante, rinfrescante e lenitiva.  
**Istruzioni per l'uso:** Applicare una piccola quantità di gel sull'area interessata, massaggiare delicatamente

**pH 4,5 Gel formulation.** Coadjuvant in the treatment of external vaginal dryness. Hydrating and moisturizing action on the vulvo-vaginal area. Persisting and prolonged moisturizing effect. The functional ingredients contained in the formulation, together with vegetable extracts exert moisturizing, refreshing, lenitive effect.  
**Instructions for Use:** Apply a small amount of gel on the affected area, massage gently.

**Gruppo Farmaimpresa srl**  
Via Cipro, 1 - 25124  
Brescia (IT)

LOT vedere sul fondo o di lato  
see the bottom or side

vedere sul fondo o di lato  
see the bottom or side

5°C 25°C


CE PE


FT/CE/24.5.101

AREA NON STAMPABILE

4 mm

2 mm  
7 mm



GRAFO REV3 del 15/06/2011  Gruppo Farmaimpresa Reparto Grafico	NOME PRODOTTO	CLIENTE	COD FORMULA	COD INTERNO	REVISIONE
	Revaginal Gel	Pj Pharma			
DATA MODIFICA	GRAFICO	TIPOGRAFIA		RIF.ORDINE	
		RIF.CON.PRIMARIO/SECONDARIO:			
CARATTERISTICHE TECNICHE <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		APPROVAZIONE CLIENTE <input type="checkbox"/> <input type="checkbox"/>			

# Revaginal

Gel



Gel vaginale idratante e lubrificante

pH FISIOLÓGICO

Formulazione gel pH 4,5.

Coadiuvante nel trattamento della secchezza vaginale esterna. Azione idratante dell'area vulvo-vaginale. Effetto idratante persistente e prolungato. Gli ingredienti funzionali contenuti nella formulazione, insieme a estratti vegetali, esercitano un'azione idratante, rinfrescante e lenitiva.

**Istruzioni per l'uso:** Lavare le mani abbondantemente con acqua prima di applicare il gel nelle parti intime. Applicare una piccola quantità di gel nell'aria interessata, massaggiare delicatamente. Chiudere il tubo dopo l'utilizzo del gel.

**Composizione:** Aqua, Hydroxyethylcellulose, Glycerin, Propylene glycol, Aloe Barbadosis, Ribes Nigrum extract, Lavandula angustifolia extract, Sodium hyaluronate, Peg 40 hydrogenated castor oil, Disodium edta, Chamomilla recutita extract, Calendula officinalis extract, Lactic acid, Arachidonic acid - Linoleic acid - Linolenic acid, Tocopheryl acetate, Retinylpalmitate, Imidazolidinyl urea, Potassium sorbate.

**Avvertenze:** Solo per uso esterno. Tenere fuori dalla portata dei bambini. Conservare il prodotto correttamente sigillato e fuori dalle fonti di calore. Non utilizzare il prodotto dopo la data di scadenza riportata sulla confezione. La data di scadenza è valida per il prodotto correttamente conservato. Non utilizzare il prodotto se la confezione è danneggiata o aperta. Durante la gravidanza utilizzare il prodotto sotto consiglio del medico. Non utilizzare in caso di lesioni dell'organo. Non ingerire. Evitare il contatto con gli occhi. L'utilizzo da parte di più persone può facilitare la trasmissione di infezioni.

**Effetti collaterali:** L'utilizzo - soprattutto se prolungato - può portare ad una sensibilizzazione al prodotto. Se ciò si verifica, interrompere il trattamento e consultare il medico per avviare una terapia adeguata. L'utilizzo del prodotto da parte di più persone può portare ad una non efficacia del prodotto stesso, all'intensificazione del problema in corso e al verificarsi di problemi non precedentemente riportati.

**Confezione:** 30 ml tubo in PE.

Prodotto in Italia.



Gruppo Farmaimpresa srl  
Via Cipro, 1 - 25124  
Brescia (Italy)

# Revaginal

Gel



Moisturizing and lubricant vaginal gel

PHYSIOLOGICAL pH

pH 4,5 gel formulation.

Adjunct in the treatment of external vaginal dryness. Moisturizing action of vulvovaginal area. Persistent and prolonged moisturizing effect. Functional ingredients contained in the formulation, along with plant extracts, exert a moisturizing, refreshing and soothing action.

**How to use:** Wash your hands thoroughly with water before applying the gel in the private parts. Apply a small amount of gel in the affected area, massage gently. Close the tube after gel use.

**Ingredients:** Aqua, Hydroxyethylcellulose, Glycerin, Propylene glycol, Aloe Barbadosis, Ribes Nigrum extract, Lavandula angustifolia extract, Sodium hyaluronate, Peg 40 hydrogenated castor oil, Disodium edta, Chamomilla recutita extract, Calendula officinalis extract, Lactic acid, Arachidonic acid - Linoleic acid - Linolenic acid, Tocopheryl acetate, Retinylpalmitate, Imidazolidinyl urea, Potassium sorbate.

**Storage conditions:** Store at room temperature between 5°C and 25°C in a dry place. Avoid exposure to localized heat sources and sunlight. The properties of the product are guaranteed by correct storage of the product unopened. Keep the product in its original packaging. Do not store the product in the vicinity of hazardous substances, such as ammonia, benzene, acetone, or flammable substances that evaporate easily.

**Warnings:** For external use only. Keep out of reach of children. Store the product properly sealed and out of the heat. Do not use the product after the expiration date on the package. The expiration date is valid for the product properly stored. Do not use the product if the packaging is damaged or opened. During pregnancy use the product under medical advice. Do not use in case of organ injury. Do not ingest. Avoid eye contact. The use by several persons may facilitate the transmission of infections.

**Side effects:** The use - especially if prolonged - can lead to a sensibilization to the product. If this occurs, stop to use and consult your doctor to begin an appropriate treatment. The use of the product by more people can lead to a non-effectiveness of the product, to the intensification of the problem in progress and the occurrence of problems not previously reported.

**Packaging:** 30 ml PE tube.

Produced in Italy.



Gruppo Farmaimpresa srl  
Via Cipro, 1 - 25124  
Brescia (Italy)